



GENERAL INFORMATION

WARNINGS: This chair is tested for a maximum load capacity of 150 kg

REGULATIONS AND CERTIFICATES: EN 16139:2013+AC:2013



RECYCLABILITY OF THE PRODUCT: Recyclabile. For recovery or disposal deliver at an specialized and authorized center.

USE AND MAINTENANCE

In order to guarantee the product solidity and duration, we suggest to:

- Before use make sure of the product's correct assembly;
- Do not remove any components from the chair manually or by using tools;
- Check that the frame is completely leant to the floor and the floor does not allow any sliding of the chair;
- Do not swing the chair while using;
- Do not sit on the backrest or arms;
- Do not stand on your feet or your knee on the chair;
- Do not drag the chair, while moving it;
- Avoid any contact with head source;
- Not stackable chair.

MAINTENANCE ADVICES

- In case of liquid reversal on the chair surface clear immediately by using a clean and dry cloth;
- To clean the plastic use only neutral soap;
- Avoid mandatory the use of chemical solvent or detergent because they might alter the esthetical and physical characteristics of the product.

EXPECTED USE

- Home/Office
- Schools
- Hospitality/Restaurants



DESCRIPTION

Four legs chair with 100% recycled polypropylene frame and shell.

CERTIFICATIONS

ANSI BIFMA X5.4-2020


FEATURES



4,33 Kg



DIMENSIONS



POLYPROPYLENE SHELL COLOURS



Grigio Caldo ECO
NCS S 6005-Y20R

POLYPROPYLENE FRAME COLOURS



Grigio Caldo ECO
NCS S 6005-Y20R

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/11GC	Grigio Caldo ECO 4 legs frame PP/FV 20%	100%	1	2,10 Kg
LORIA/43	Glide for polypropylene frame PE LD	0%	4	0,01 Kg
LORIA/01GC	Grigio Caldo ECO polypropylene shell PP/FV 20%	100%	1	2,15 Kg
VT43	Screw	100%	4	0,01 Kg

**DESCRIPTION**


Four legs chair with 100% recycled polypropylene frame and shell.

CERTIFICATIONS


EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020

FEATURES

4,90 Kg

**DIMENSIONS****POLYPROPYLENE SHELL COLOURS**

Grigio Caldo ECO
NCS S 6005-Y20R

POLYPROPYLENE FRAME COLOURS

Grigio Caldo ECO
NCS S 6005-Y20R

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/11GC	Grigio Caldo ECO 4 legs frame PP/FV 20%	100%	1	2,10 Kg
LORIA/43	Glide for polypropylene frame PE LD	0%	4	0,01 Kg
LORIA/02GC	Grigio Caldo ECO polypropylene shell PP/FV 20%	100%	1	2,72 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Four legs chair with polypropylene frame and shell.

CERTIFICATIONS

ANSI BIFMA X5.4-2020


FEATURES









4,33 Kg







DIMENSIONS



POLYPROPYLENE SHELL COLOURS

					
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

POLYPROPYLENE FRAME COLOURS

			
Cemento NCS S 2000-N	Torrente Scuro NCS S 6010-G10Y	Vino Scuro NCS S 7020-Y90R	Grafite NCS S 8500-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/11	4 legs frame PP/FV 20%	50%	1	2,10 Kg
LORIA/43	Glide for polypropylene frame PE LD	0%	4	0,12 Kg
LORIA/01B-N-RQ-T-VN-W	Polypropylene shell PP/FV 20%	50%	1	2,15 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Four legs armchair with polypropylene frame and shell.

CERTIFICATIONS


EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020

FEATURES







4,90 Kg





DIMENSIONS



POLYPROPYLENE SHELL COLOURS

					
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

POLYPROPYLENE FRAME COLOURS

			
Cemento NCS S 2000-N	Torrente Scuro NCS S 6010-G10Y	Vino Scuro NCS S 7020-Y90R	Grafite NCS S 8500-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/11	4 legs frame PP/FV 20%	50%	1	2,10 Kg
LORIA/43	Glide for polypropylene frame PE LD	0%	4	0,12 Kg
LORIA/02B-N-RQ-T-VN-W	Polypropylene shell PP/FV 20%	50%	1	2,72 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Four legs chair with stackable metal frame.

CERTIFICATIONS

EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020


FEATURES










12 pcs on the ground
15 pcs on trolley

4,61 Kg




DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

FOUR LEGS METAL FINISHES

		
Chrome	White NCS S 0500-N	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/05 LORIA/06 LORIA/07	Four legs metal frame	100%	1	2,11 Kg
TP37 TP37G	Four legs metal frame black plug Four legs metal frame grey plug	0%	4	0,01 Kg
LORIA/01B-N-RQ-T-VN-W	Polypropylene shell PP/FV 20%	50%	1	2,15 Kg
LORIA/01GC	Grigio Caldo ECO polypropylene shell PP/FV 20%	100%	1	2,15 Kg
LORIA/50	Underseat carter for four legs metal frame	100%	1	0,27 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Four legs armchair metal frame.

CERTIFICATIONS

EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020


FEATURES










5,18 Kg






DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

FOUR LEGS METAL FINISHES

		
Chrome	White NCS S 0500-N	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/05 LORIA/06 LORIA/07	Four legs metal frame	100%	1	2,11 Kg
TP37 TP37G	Four legs metal frame black plug Four legs metal frame grey plug	0%	4	0,01 Kg
LORIA/02B-N-RQ-T-VN-W	Polypropylene shell PP/FV 20%	50%	1	2,72 Kg
LORIA/02GC	Grigio Caldo ECO polypropylene shell PP/FV 20%	100%	1	2,72 Kg
LORIA/50	Underseat carter for four legs metal frame	100%	1	0,27 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Sled metal base chair with stackable frame.

CERTIFICATIONS

EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020

FEATURES




12 pcs on the ground
20 pcs on trolley










5,9 Kg





DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

SLED BASE FINISHES

	
Chrome	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/08 LORIA/09	Sled frame Ø11 mm	100%	1	3,4 Kg
TP16	Plugs for sled frame	100%	4	0,01 Kg
LORIA/01	Polypropylene shell PP/FV 20%	50%	1	2,15 Kg
LORIA/01GC	Grigio Caldo ECO polypropylene shell PP/FV 20%	100%	1	2,15 Kg
LORIA/51	Underseat carter for sled frame Ø11 mm	100%	1	0,27 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Sled metal base armchair.

CERTIFICATIONS

EN 16139:2013+AC:2013


FEATURES










6,44 Kg





DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

SLED BASE FINISHES

	
Chrome	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/08 LORIA/09	Sled frame Ø11 mm	100%	1	3,4 Kg
TP16	Plugs for sled frame	100%	4	0,01 Kg
LORIA/02B-N-RQ-T-VN-W	Polypropylene shell PP/FV 20%	50%	1	2,72 Kg
LORIA/02GC	Grigio Caldo ECO polypropylene shell PP/FV 20%	100%	1	2,72 Kg
LORIA/51	Underseat carter for sled frame Ø11 mm	100%	1	0,27 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Wooden legs frame chair.


CERTIFICATIONS

EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020
SGSCH-COC-090180








FEATURES




DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

WOOD FRAME FINISH



Beech

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/12	Polyamide plate PA/FV	100%	1	0,38 Kg
	Wooden leg	100%	2	1,68 Kg
	TP23 Glide PE LD	0%	4	0,01 Kg
	VT17 Screw M6x32	80%	8	0,02 Kg
	VT53 Screw 6x30	80%	2	0,02 Kg
	VT43 6x18	80%	2	0,02 Kg
	M6 Square nut	80%	8	0,02 Kg
LORIA/01B-N-RQ-T-VN-W	Polypropylene shell PP/FV 20%	50%	1	2,15 Kg
LORIA/01GC	Grigio Caldo ECO polypropylene shell PP/FV 20%	100%	1	2,15 Kg



DESCRIPTION

Wooden legs frame armchair.

CERTIFICATIONS


EN 16139:2013+AC:2013
SGSCH-COC-090180

FEATURES










6,90 Kg


DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

WOOD FRAME FINISH



Beech

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/12	Polyamide plate PA/FV	100%	1	0,38 Kg
	Wooden leg	100%	2	1,68 Kg
	TP23 Glide PE LD	0%	4	0,01 Kg
	VT17 Screw M6x32	80%	8	0,02 Kg
	VT53 Screw 6x30	80%	2	0,02 Kg
	VT43 6x18	80%	2	0,02 Kg
	M6 Square nut	80%	8	0,02 Kg
LORIA/01B-N-RQ-T-VN-W	Polypropylene shell PP/FV 20%	50%	1	2,72 Kg
LORIA/02GC	Grigio Caldo ECO polypropylene shell PP/FV 20%	100%	1	2,72 Kg



DESCRIPTION

Trestle base chair.

CERTIFICATIONS

EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020


FEATURES










5,40 Kg





DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

POLYAMIDE TRESTLE BASE FINISHES

	
Gesso NCS S 1000-N	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/18N LORIA/18W	Black polyamide trestle base PA/FV 40% White polyamide trestle base PA/FV 40%	50% 0%	1	2,00 Kg
LORIA/01B-N-RQ-T-VN-W	Polypropylene shell PP/FV 20%	50%	1	2,15 Kg
LORIA/01GC	Grigio Caldo ECO polypropylene shell PP/FV 20%	100%	1	2,15 Kg
LORIA/47	Aluminium pin	100%	1	0,20 Kg
LORIA/48	Pin support POM	100%	1	0,07 Kg
LORIA/49N LORIA/49W	Black polyamide plate for trestle PA/FV 30% White polyamide plate for trestle PA/FV 30%	100% 0%	1	0,70 Kg
LORIA/60	Pin Ø11 for foot	100%	4	0,03 Kg
PD08N PD08W	Black foot PA White foot PA	100% 0%	4	0,04 Kg
TP23	Glide PE LD	0%	4	0,01 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Trestle base armchair.

CERTIFICATIONS


EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020

FEATURES










5,97 Kg



DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

POLYAMIDE TRESTLE BASE FINISHES

	
Gesso NCS S 1000-N	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/18N LORIA/18W	Black polyamide trestle base PA/FV 40% White polyamide trestle base PA/FV 40%	50% 0%	1	2,00 Kg
LORIA/02B-N-RQ-T-VN-W	Polypropylene shell PP/FV 20%	50%	1	2,72 Kg
LORIA/02GC	Grigio Caldo ECO polypropylene shell PP/FV 20%	100%	1	2,72 Kg
LORIA/47	Aluminium pin	100%	1	0,20 Kg
LORIA/48	Pin support POM	100%	1	0,07 Kg
LORIA/49N LORIA/49W	Black polyamide plate for trestle PA/FV 30% White polyamide plate for trestle PA/FV 30%	100% 0%	1	0,70 Kg
LORIA/60	Pin Ø11 for foot	100%	4	0,03 Kg
PD08N PD08W	Black foot PA White foot PA	100% 0%	4	0,04 Kg
TP23	Glide PE LD	0%	4	0,01 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Trestle base chair with castors.

CERTIFICATIONS

EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020


FEATURES










6,05 Kg





DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

POLYAMIDE TRESTLE BASE FINISHES

	
Gesso NCS S 1000-N	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/18N LORIA/18W	Black polyamide trestle base PA/FV 40% White polyamide trestle base PA/FV 40%	50% 0%	1	2,00 Kg
LORIA/01B-N-RQ-T-VN-W LORIA/01GC	Polypropylene shell PP/FV 20% Grigio Caldo ECO polypropylene shell PP/FV 20%	50% 100%	1	2,15 Kg
LORIA/47	Aluminium pin	100%	1	0,20 Kg
LORIA/48	Pin support POM	100%	1	0,07 Kg
LORIA/49N LORIA/49W	Black polyamide plate for trestle PA/FV 30% White polyamide plate for trestle PA/FV 30%	100% 0%	1	0,70 Kg
RT09	Black castor Ø 55 pin 11	100%	4	0,08 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Trestle base armchair with castors.

CERTIFICATIONS

EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020


FEATURES










6,09 Kg





DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

POLYAMIDE TRESTLE BASE FINISHES

	
Gesso NCS S 1000-N	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/18N LORIA/18W	Black polyamide trestle base PA/FV 40% White polyamide trestle base PA/FV 40%	50% 0%	1	2,00 Kg
LORIA/02B-N-RQ-T-VN-W LORIA/02GC	Polypropylene shell PP/FV 20% Grigio Caldo ECO polypropylene shell PP/FV 20%	50% 100%	1	2,72 Kg
LORIA/47	Aluminium pin	100%	1	0,20 Kg
LORIA/48	Pin support POM	100%	1	0,07 Kg
LORIA/49N LORIA/49W	Black polyamide plate for trestle PA/FV 30% White polyamide plate for trestle PA/FV 30%	100% 0%	1	0,70 Kg
RT09	Black castor Ø 55 pin 11	100%	4	0,08 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Trestle base chair with gas lift.

CERTIFICATIONS


EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020

FEATURES










6,16 Kg



DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

POLYAMIDE TRESTLE BASE FINISHES

	
Gesso NCS S 1000-N	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/18N LORIA/18W	Black polyamide trestle base PA/FV 40% White polyamide trestle base PA/FV 40%	50% 0%	1	2,00 Kg
LORIA/01B-N-RQ-T-VN-W LORIA/01GC	Polypropylene shell PP/FV 20% Grigio Caldo ECO polypropylene shell PP/FV 20%	50% 100%	1	2,15 Kg
G10G	Black gas lifting column Ø40	100%	1	0,95 Kg
LORIA/96	Lever for gas column	80%	1	0,09 Kg
LORIA/49N LORIA/49W	Black polyamide plate for trestle PA/FV 30% White polyamide plate for trestle PA/FV 30%	100% 0%	1	0,70 Kg
LORIA/60	Pin Ø11 for foot	100%	4	0,03 Kg
PD08N PD08W	Black foot PA White foot PA	100% 0%	4	0,04 Kg
TP23	Glide PE LD	0%	4	0,01 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Trestle base armchair with gas lift.

CERTIFICATIONS

EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020


FEATURES










6,73 Kg





DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

POLYAMIDE TRESTLE BASE FINISHES

	
Gesso NCS S 1000-N	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/18N LORIA/18W	Black polyamide trestle base PA/FV 40% White polyamide trestle base PA/FV 40%	50% 0%	1	2,00 Kg
LORIA/02B-N-RQ-T-VN-W LORIA/02GC	Polypropylene shell PP/FV 20% Grigio Caldo ECO polypropylene shell PP/FV 20%	50% 100%	1	2,72 Kg
G10G	Black gas lifting column Ø40	100%	1	0,95 Kg
LORIA/96	Lever for gas column	80%	1	0,09 Kg
LORIA/49N LORIA/49W	Black polyamide plate for trestle PA/FV 30% White polyamide plate for trestle PA/FV 30%	100% 0%	1	0,70 Kg
LORIA/60	Pin Ø11 for foot	100%	4	0,03 Kg
PD08N PD08W	Black foot PA White foot PA	100% 0%	4	0,04 Kg
TP23	Glide PE LD	0%	4	0,01 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Trestle base chair with gas and castors.

CERTIFICATIONS


EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020

FEATURES










6,18 Kg



DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

POLYAMIDE TRESTLE BASE FINISHES

	
Gesso NCS S 1000-N	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/18N LORIA/18W	Black polyamide trestle base PA/FV 40% White polyamide trestle base PA/FV 40%	50% 0%	1	2,00 Kg
LORIA/01B-N-RQ-T-VN-W LORIA/01GC	Polypropylene shell PP/FV 20% Grigio Caldo ECO polypropylene shell PP/FV 20%	50% 100%	1	2,15 Kg
G10G	Black gas lifting column Ø40	100%	1	0,95 Kg
LORIA/96	Lever for gas column	80%	1	0,09 Kg
LORIA/49N LORIA/49W	Black polyamide plate for trestle PA/FV 30% White polyamide plate for trestle PA/FV 30%	100% 0%	1	0,70 Kg
RT09	Black castor Ø 55 pin 11	100%	4	0,08 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Trestle base armchair with gas and castors.

CERTIFICATIONS


EN 16139:2013+AC:2013
ANSI BIFMA X5.4-2020

FEATURES










6,75 Kg



DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

POLYAMIDE TRESTLE BASE FINISHES

	
Gesso NCS S 1000-N	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/18N LORIA/18W	Black polyamide trestle base PA/FV 40% White polyamide trestle base PA/FV 40%	50% 0%	1	2,00 Kg
LORIA/02B-N-RQ-T-VN-W LORIA/02GC	Polypropylene shell PP/FV 20% Grigio Caldo ECO polypropylene shell PP/FV 20%	50% 100%	1	2,72 Kg
G10G	Black gas lifting column Ø40	100%	1	0,95 Kg
LORIA/96	Lever for gas column	80%	1	0,09 Kg
LORIA/49N LORIA/49W	Black polyamide plate for trestle PA/FV 30% White polyamide plate for trestle PA/FV 30%	100% 0%	1	0,70 Kg
RT09	Black castor Ø 55 pin 11	100%	4	0,08 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Barstool sled base.


CERTIFICATIONS

ANSI BIFMA X5.4-2020








FEATURES





DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

SLED BASE FINISHES

	
Chrome	Black NCS S 9000-N

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/15 LORIA/16	Black painted stool sled frame Ø12 mm h750 Chromed stool sled frame Ø12 mm h750	100%	1	4,67 Kg
TP16	Plugs for sled frame Ø11 mm	100%	4	0,02 Kg
LORIA/03B-N-RQ-T-VN-W LORIA/03GC	Polypropylene shell PP/FV 20% Grigio Caldo ECO polypropylene shell PP/FV 20%	50% 100%	1	2,17 Kg
LORIA/51	Underseat carter for sled frame Ø11 mm	100%	1	0,27 Kg
VT43	Screw	100%	4	0,01 Kg



DESCRIPTION

Barstool wooden legs frame.

CERTIFICATIONS


ANSI BIFMA X5.4-2020
SGSCH-COC-090180

FEATURES










9,19 Kg

DIMENSIONS



POLYPROPYLENE SHELL COLOURS

						
Gesso NCS S 1000-N	Quarzo NCS S 1515-Y90R	Torrente NCS S 3005-G50Y	Grigio Caldo ECO NCS S 6030-Y90R	Vino NCS S 6030-Y90R	Oceano NCS S 8005-R50B	Carbone NCS S 9000-N

WOOD FRAME FINISH



Beech

COMPONENTS

Code	Description	% Rec.	Pcs	Weight
LORIA/12	Polyamide plate PA/FV	100%	1	0,38 Kg
	Wooden leg	100%	2	2,48 Kg
	TP23 Glide PE LD	0%	4	0,01 Kg
	VT17 Screw M6x32	80%	8	0,02 Kg
	VT53 Screw 6x30	80%	2	0,02 Kg
	VT43 6x18	80%	2	0,02 Kg
	M6 Square nut	80%	8	0,02 Kg
		Metal ring		
LORIA/03B-N-RQ-T-VN-W LORIA/03GC	Polypropylene shell PP/FV 20%	50%	1	2,17 Kg
	Grigio Caldo ECO polypropylene shell PP/FV 20%	100%		