



BLAZE

Operational seat

TECHNICAL DATA SHEET

**DESCRIPTION**

Operational seat

CERTIFICAZIONI CATAS
Testing Certification Research**FEATURES**


OUTDOOR




NOT STACKABLE



IGNIFUGA

DIMENSIONS**PLASTIC COLORS**

			
White RAL 9003	Brick Red NCS 3060-Y80R	Deep Blue NCS 6020-R90B	Black RAL 9005

MESH COLORS


Black NERO

FINISHING BASES

				
White RAL 9003	Brick Red NCS 3060-Y80R	Deep Blue NCS 6020-R90B	Black RAL 9005	Chromed CROMATO

BACKRESTS

CODE	DESCRIPTION	% REC.	MATERIAL	SINGLE WEIGHT g	PZ. BOX	DIM. BOX LxDxH cm	PZ. PALLET	DIM. PALLET WxDxH cm
BLAZE/55SL07	Backrest with lumbar support and black mesh	>50%	PP+PA FV+POM+FE	2580	8	80,0 x 60,0 x 52,5	48	120 x 80 x 171
BLAZE/54	Exterior backrest for mesh and upholstery	>50%	PA FV	1670	10	80,0 x 60,0 x 52,5	60	120 x 80 x 171
BLAZE/53	Interior backrest to be upholstered	>50%	PPT	1060	20	67,0 x 52,0 x 47,5	240	132 x 102 x 152
BLAZE/57	Interior backrest for mesh	>50%	PPT	390	20	67,0 x 52,0 x 47,5	320	132 x 102 x 200

SEATS

CODE	DESCRIPTION	% REC.	MATERIAL	SINGLE WEIGHT g	PZ. BOX	DIM. BOX LxDxH cm	PZ. PALLET	DIM. PALLET WxDxH cm
SI10 18B	Seat with 18 studs	0%	WOOD	1580	-	-	500	120 x 102 x 150
SS13	Under seat	100%	PP	620	30	53,5 x 42,5 x 46,5	480	126 x 102 x 200
SS14TRASLA	Seat with integrated slide	100%	PA FV+POM+FE	2530	4	49,0 x 49,0 x 23,5	96	120 x 102 x 158
SI11	Seat panel for SS14TRASLA	100%	PP	940	25	48,0 x 46,5 x 52,0	300	120 x 102 x 170
FOAM/01	Polyurethane foam	0%	PUR	630	12	67,0 x 52,0 x 47,5	192	135 x 102 x 206

LUMBAR SUPPORT

CODE	DESCRIPTION	% REC.	MATERIAL	SINGLE WEIGHT g	PZ. BOX	DIM. BOX LxDxH cm	PZ. PALLET	DIM. PALLET WxDxH cm
SL05	Kit of adjustable lumbar support in plastic	>50%	PP+POM+PELD	250	20	40,0 x 46,0 x 20,0	-	-
SL07	Kit of adjustable lumbar support for mesh backrest in plastic	>50%	PP+POM	220	20	40,0 x 46,0 x 20,0	-	-

ASSEMBLY COMPONENTS

CODE	DESCRIPTION	% REC.	MATERIAL	SINGLE WEIGHT g	PZ. BOX	DIM. BOX LxDxH cm	PZ. PALLET	DIM. PALLET WxDxH cm
APT01	Pad to be upholstered for headrest PGT01	>50%	PP	100	80	31,0 x 43,0 x 32,0	-	-
CERN01	Anchor hinged sliding bracket arms	100%	PA FV+FE	70	100	34,5 x 27,0 x 21,0	-	-
CN01	Blaze/Titan block	100%	PA FV	70	120	31,0 x 43,0 x 32,0	-	-
PGT01	Height-adjustable headrest	>50%	PP	240	20	31,0 x 43,0 x 32,0	-	-
ST19	Sliding bracket for armrest	100%	PA FV	170	100	47,0 x 40,8 x 31,7	-	-
VL04	Small wheel Ø30	>50%	PP+FE	48	350	58,5 x 37,5 x 27,5	-	-

ARMRESTS

CODE	DESCRIPTION	% REC.	MATERIAL	SINGLE WEIGHT g	PZ. BOX	DIM. BOX LxDxH cm	PZ. PALLET	DIM. PALLET WxDxH cm
BRC30	Pair of 3D adjustable armrests	>50%	PP+PA FV+POM+FE	1450	5	47,0 x 40,8 x 31,7	150	125 x 102 x 172
BRC37	Pair of 1D armrests	>50%	PA FV+POM+FE	1350	5	47,0 x 40,8 x 31,7	150	125 x 102 x 175
BRC36ST	Pair of 4D inclined plastic armrests with soft touch class A	>50%	POM+TPU+PA FV+PP+FE	2000	5	47,0 x 40,8 x 31,7	150	125 x 102 x 175

MECHANISMS

CODE	DESCRIPTION	% REC.	MATERIAL	SINGLE WEIGHT g	PZ. BOX	DIM. BOX LxDxH cm	PZ. PALLET	DIM. PALLET WxDxH cm
MS08	Epron sincron mechanism	>50%	PP+FE	4200	4	57,5 x 48,5 x 19,5	96	105 x 140 x 130

MECHANISMS

CODE	DESCRIPTION	% REC.	MATERIAL	SINGLE WEIGHT g	PZ. BOX	DIM. BOX LxDxH cm	PZ. PALLET	DIM. PALLET WxDxH cm
MS09	Sideshifter epron sincron mechanism	>50%	PP+FE	4700	4	57,5 x 48,5 x 19,5	96	106 x 140 x 130
MS10	Syncro mechanism	>50%	PP+FE	2940	8	49,0 x 49,0 x 23,5	96	120 x 103 x 90
MS11	Sideshifter syncro mechanism	>50%	PP+FE	3940	30	75,0 x 70,0 x 76,0	30	120 x 80 x 101

GAS

CODE	DESCRIPTION	% REC.	MATERIAL	SINGLE WEIGHT g	PZ. BOX	DIM. BOX LxDxH cm	PZ. PALLET	DIM. PALLET WxDxH cm
G01	Dattilo gas highway column 50x215	>50%	PP+FE	1070	20	51,0 x 34,0 x 11,0	700	122 x 102 x 70
G03G	Gas lifting column	>50%	POM+FE	1070	20	51,0 x 34,0 x 11,0	700	122 x 102 x 70
G08G	Gas Dactyl lowered column	>50%	POM+FE	1000	20	51,0 x 34,0 x 11,0	700	100 x 120 x 60

BASE

CODE	DESCRIPTION	% REC.	MATERIAL	SINGLE WEIGHT g	PZ. BOX	DIM. BOX LxDxH cm	PZ. PALLET	DIM. PALLET WxDxH cm
R34	Base Ø 690	100%	AL	2100	5	67,0 x 67,0 x 57,0	60	120 x 105 x 185
R36	Base Ø 690 castor pin 11	100%	PA FV	1450	-	-	132	120 x 103 x 235
R46	Base Ø 690 castor pin 11	100%	PA FV	1720	-	-	148	120 x 105 x 231
R47	Base Ø 690	100%	AL	2500	5	65,0 x 65,0 x 36,0	100	106 x 120 x 195
R48	Black base Ø 700 castor pin 11	100%	PA FV	1540	-	-	124	105 x 120 x 215
R49AM	Base with ring Ø 710 castor pin 11	100%	PA FV+FE	1370	-	-	148	120 x 105 x 230

WHEELS AND FEET

CODE	DESCRIPTION	% REC.	MATERIAL	SINGLE WEIGHT g	PZ. BOX	DIM. BOX LxDxH cm	PZ. PALLET	DIM. PALLET WxDxH cm
RT03	Black castor Ø 50 pin 11	>50%	PP+FE	90	200	27,0 x 41,0 x 47,0	-	-
RT05	Rubber black castor Ø 50 pin 11	>50%	PP+FE	90	200	27,0 x 41,0 x 47,0	-	-
RT08	Rubber black castor Ø 60 pin 11	>50%	PP+TPE+FE	112	150	27,0 x 41,0 x 47,0	-	-
RT09	Black castor Ø 55 pin 11	>50%	PP+TPE+FE	430	200	27,0 x 41,0 x 47,0	-	-
RT12	Black castor Ø 60 pin 11	>50%	PP+FE	92	150	27,0 x 41,0 x 47,0	-	-

SCREWS

CODE	DESCRIPTION	% REC.	MATERIAL	SINGLE WEIGHT g	PZ. BOX	DIM. BOX LxDxH cm	PZ. PALLET	DIM. PALLET WxDxH cm
VT04	Screw M6x45	50%	FE	11	900	20,0 x 29,0 x 10,0	-	-
VT21	Screw M8x30	50%	FE	16	200	20,0 x 29,0 x 10,0	-	-
VT37	Black self-tapping screw 4,2x16	50%	FE	2	6000	20,0 x 29,0 x 10,0	-	-
VT38	White galvanized self-tapping screw 4,2x16	50%	FE	2	6000	20,0 x 29,0 x 10,0	-	-
VT17	Screw M6x32	50%	FE	80	1500	20,0 x 29,0 x 10,0	-	-
VT19	Screw M6x23	50%	FE	60	2000	20,0 x 29,0 x 10,0	-	-
VT57N	Black galvanized self tapping screw 4x12	50%	FE	2	5000	20,0 x 29,0 x 10,0	-	-